Contents

Preface vii

Chapter 1 KED/KEX Keypad Editor 1–1

Chapter 2 SL Command-Line Editor 2–1

Chapter 3 RT–11 Commands 3–2

Chapter 4 RT–11 Utilities 4–1

Chapter 5 Programmed Requests 5–1

Chapter 6 Subroutines 6–1

Chapter 7 Monitor Data Structures

DISK AND FILE FORMATS 7–11
RMON FIXED OFFSETS 7–14
QUEUE ELEMENTS 7–36

Chapter 8 Standard References

ASCII CHARACTER SET 8–1
RADIX–50 CHARACTER SET 8–7
RT–11 DEVICE NAMES AND CODES 8–9
STANDARD RT–11 FILE TYPES 8–11
INTERRUPT, TRAP, AND SOFTWARE VECTORS 8–13
K EQUIVALENTS 8–15

Tables

3–1 Valid BACKUP Option Combinations 3–3
3–2 Summary of SETUP Modes 3–115
5–1 EMT Codes 000–377 5–2
5–2 EMT 374 Subcodes 5–3
5–3 EMT 375 Subcodes 5–4
5–4 Device-Identifier Byte Values 5–38
5–5 Special Functions for the TYPE=n Parameter 5–49
5–6 Soft Error Codes (.SERR) 5–141
7–1 Channel Status Word (CSW), .CSWDF 7–1
7–2 I/O Channel Description (.CHNDF) 7–2
7–3 Handler Prefix Area Format 7–2
7–4 Region Definition Block (.RDBDF) 7–2
7–5 Region Status Word (.RDBDF) 7–3
7–6 Region Control Block (.RCBDF) 7–4
7–7 Global Region Control Block (.GRBDF) 7–5
7–8 Global Region Control Block Status Byte, GR.STA 7–5
7–9 Window Definition Block (.WDBDF) 7–5
7–10 Window Status Word, W.NSTS 7–6
7–11 Window Control Block (.WCBDF) 7–8
7–12 System Communication Area, .SYCDF 7–8
7–13 User Error Byte, .UEBDF 7–9
7–14 Job Definition Word ($JSX) Bit Definitions 7–10
7–15 Block-Replaceable Device Directory Structure 7–11
7–16 Home Block Contents 7–12
7–17 Bad Block Replacement Table Entries 7–12
7–18 .SAV Image File (Block 0) 7–13

7–19 SET Options Table 7–15
7–20 RMON Fixed Offsets 7–15
7–21 $CNFG1 Configuration Word, Offset 300 (.CFIDF) 7–16
7–22 DCL and IND File Status Word, $STATW (.STWDF) 7–22
7–23 $CNFG2 Extension Configuration Word, Offset 370 (.CF2DF) 7–23
7–24 System Generation Features Word, Offset 372 (.SGNDF) 7–24
7–25 Transparent Spooler Status Word, Offset 414 (.SPLDF) 7–25
7–26 IND Control Status Byte, Offset 417 (.INDDF) 7–25
7–27 Third Configuration Word, Offset 466 (.CF3DF) 7–26
7–28 Impure Area (.IMPDF) 7–28
7–29 Job State Word Bits, Offset 0 (.ISTDF) 7–32
7–30 Job Blocking Bits, Offset 36 (.IBKDF) 7–32
7–31 Spool Operation Type Field (SP$OPR) 7–33
7–32 Spool Flag Page Support Field (SP$NFL) 7–33
7–33 Change Mapping Context (I.CMAP) Word Bits (.CMPDF) 7–34
7–34 MCA Region Structure (.MCADF) 7–35
7–35 Completion Queue Element Format (.QCMDF) 7–37
7–36 Fork Queue Element Format 7–37
7–37 I/O Queue Element Format 7–37
7–38 Synch Queue Element (.QSYDF) 7–39
7–39 Timer Queue Element Format (.QTIDF) 7–39